


CONVERSION IN DIVX OF A TS. FILE ISSU FROM THE TNT OR A xxxxBX


After having captured or transferred via FTP your video in a xxxxxx.ts format it is necessary for you to suppress the mistakes of synchronization of audio/ picture.

For it you will use the software MPEG2Repair has download here: <http://www.videohelp.com/tools/MPEG2Repair>


Create in program Files a repertorie in which you will expand the downloaded file.



To facilitate you the things, create an short cutvon your office while making a right click then on the mpeg2repair.exe file in his installation repertorie while choosing the option to Copy.




return on your office, make a right click and click on to Glue the abridgment.




Start **MPEG2Repair** with double clicking on the thus created short cut..

In the window that is displayed, use the button of exploration to choose the file has treat.




In the new window that opens up select the file has treat




Once the file selected you comes back in the window of MPEG2Repair.


Click on the button "Find PID's"




The window of MPEG2Repair changes and allows you to tick the slot Repair Errors and to define the file of exit




if you click on the button of exploration you meet with the usual window that allows you to choose the name and the site of the exit file



record your choice and you meet in the window of MPEG2Repair



click on the Start button and let make



at the end you meet completely with a file in .ts correct version of his synchronization mistakes audio / picture and ready therefore for the next step.

To cut and to trim the file (elimination of the Pubs) us will use DVBCut that you can download [here :http://www.glasstetter.net/dvbcut/](http://www.glasstetter.net/dvbcut/)

if you want use the functions of reading video in the DVBCut application, don't forget to download MPlayer on the same page of downloading and to expand the content of the file in the directorie of DVBCut.

made like for MPEG2Repair, to create you an short cut and to start DVBCut.

a DOS window (black bottom) opens up at the start time.... not to worry, it is normal

Open the file resynchronized to the previous stage

the software proposes you the creation of a file to the identical name has the one of entry more the extension idx... accept while clicking on the button to record.

Wait for some instants (rod of stain advancement below on the right).

Your video is displayed in the main window.

it remains you only has deposit the points of beginning and end of zone video to keep, you can define several of them.

To define the beginning of a zone video to keep, click on the green triangle



To define the end of a zone video to keep, click on the red square




To displace you in the video and to find the points where to put the orders of beginning and end of zone video to keep, you have two cursors at the bottom of the window of work of DVBCut.

The superior cursor allows you to displace you rudely in the video, the cursor of the underside allows you to displace you picture by picture.

Once the location of your or yours cuts achieved, click on file on Line in top on Export Video.

In the window that is displayed change if you want it the place and the name under which the new file will be saved but his extension doesn't change: mpg



As format of exit chooses DVD (DVBCut multiplex)"

Click on OK and has only has let work make itself.

After some minutes you have a file format mpg ready to the DivX compression (or other of ailleurs)...

For the conversion of a .mpg file in DivX I propose Auto Gordian Knot 2.45 has download here: <http://www.autogk.me.uk/>

it is one of the software the simplest and more powerful for the conversion of .mpg file in DivX.

After the installation, start the software.

In the zone of Inputfile text select has the help of explorer's button, the file has treat.


In the window Audio Trak (s), select the file by default audio to the MPEG format Audio Stream



Choose the number or part of CD having to contain the file of exit that you can also define a precise size.



Click on the button Advanced settings and verify that auto width and audio auto is nicked well.



Click then on add job on start.

he/it remains you only has wait the end of the treatment of your file.